MCQ SECTION

01.	Which of the following is not a physicalA) SunlightC) Drying	agent of sterilization B) Radiation D) Dyes
02.	Bactericidal agents A) Kill bacteria C) Both of above	B) Prevent bacterial multiplication D) None of the above
03.	Which of the following is not a method A) Flaming C) Incineration	of dry heat sterilization B) Hot air oven D) Pasteurization
04.	Microbiological test of dry heat efficience A) Staph aureus C) Camp jejuni	cy is confirmed by non-toxigenicstrain of B) Clostridium tetani D) Strep faecalis
05.	Which of the following is not a method A) Boiling C) Pasteurization	of moist heat sterilization B) Sunlight D) Autoclave
06.	Spores of Bacillus Stearothermophilus a A) Filtration C) Moist heat Sterilization	re used for determining efficacy of B) Hot air oven D) Flaming
07.	Which of the following is not used for fi A) Candle filter C) Asbestos filter	ltration in sterilization B) Membrane filters D) Glutaraldehyde
08.	Which of the following is not a chemica A) Ethyl alcohol C) Formaldehyde	l agent for sterilization B) Methyl alcohol D) Uranium
09.	Which of the following is/are non-ionisi A) Infrared rays C) Both	ng low energy type of radiation B) Ultraviolet rays D) None
10.	An ideal antiseptic or disinfectant shoul A) Speedy action C) Stable	d have all except B) Corrode metals D) Safe and easy to use
11.	Ethylene oxide is used for sterilizing all (A) Heart lung machine C) Books	except B) Sutures D) Rooms
12.	Which of the following is not used to ho A) Bull dog clamps C) Satinsky's clamps	old/grab arteries/veins B) Debakey forceps D) Kocher's forceps

13.	Which of the following is not a retractor used during surgery		
	A) Deavers	B) Langenbeck	
	C) Morris	D) DHS	
14.	Which of the following is not a suture m	aterial	
	A) PDS	B) Catgut	
	C) Silk	D) Terelene	
15.	Which of the following is not an absorba	able synthetic suture	
	A) Polyglactin	B) Polysorb	
	C) V-loc	D) Catgut	
16.	V-loc suture is manufactured from		
	A) Polydioxanone	B) Polyglytone	
	C) Polyglecaprone	D) Polyglactin	
17.	Ideal suture should be all except		
	A) Sterile	B) Costly	
	C) Easy to handle	D) Hold securely when knotted	
18.	All except one is a natural non-absorbab	ole suture	
	A) Steel	B) Nylon	
	C) Silk	D) Cotton	
19.	All are parts of a surgical suturing needl	e except	
	A) Body	B) Tip	
	C) Neck	D) Swage	
20.	Needle (Suturing Surgical) point types in	nclude all except	
	A) Cutting point	B) Taper point	
	C) Lance point	D) Blunt point	
21.	Which of the following is/are artery force	ceps	
	A) Halsted	B) Crile	
	C) Spencer wells	D) All	
22.	Which of the following is not an artery f	orceps	
	A) Adson	B) Kema	
	C) Crile	D) Debakey	
23.	Left gastric artery is a branch of		
	A) Celiac trunk	B) Common Hepatic artery	
	C) Aarta	D) Spleenic artery	
24.	Allis tissue holding forceps is used to hold		
	A) Ileum	B) Common bile duct	
	C) Duodenum	D) Rectus Sheath	

25.	How many parts does duodenum have		
	A) Three	B) Four	
	C) Two	D) None	
26.	Spleenic artery is a branch of		
	A) Celiac Axis	B) Aarta	
	C) Common hepatic artery	D) None	
27.	Calots triangle contains		
	A) Proper hepatic artery	B) Pancreatic Lymph nodes	
	C) Lymph node of lund	D) Spleenic artery	
28.	Which of the following is not a part of	of gall bladder	
	A) Fundus	B) Infundibulum	
	C) Antrum	D) Body	
29.	Which of the following does not con	stitute solid organ injury	
	A) Liver	B) Spleen	
	C) Kidney	D) Sigmoid Colon	
30.	What comes after or distal to sigmoi	id colon	
	A) Transverse colon	B) Rectum	
	C) Cecum	D) Stomach	
31.	Small bowel contains all except		
	A) Ileum	B) Jejunum	
	C) Duodenum	D) Cecum	
32.	Which is the longest bone among the following		
	A) Sternum	B) Femur	
	C) Radius	D) Scapula	
33.	Which of the following form the forearm		
	A) Radius	B) Ulna	
	C) Both	D) None	
34.	Which of the following is not a part of hip/pelvic bone		
	A) Iliac	B) Ischium	
	C) Pubis	D) Condyle Medial	
35.	All except one of the following supplies the stomach		
	A) Left gastric artery	B) Short gastric artery	
	C) Left gastroepiploic artery	D) Middle cerebral artery	
36.	All except one are used during laparoscopic cholecystectomy		
	A) 10mm trocar	B) Vulsellum forceps	
	C) Maryland forceps	D) L-hook	

37.	Which of the following is not used for surgical scrub		
	A) Chlorhexidine	B) Povidone iodine	
	C) Glutaraldehyde	D) Soap	
38.	What is the ideal surgical scrub time		
	A) 1 Minute	B) 10 Minutes	
	C) 5 Minutes	D) 15 Minutes	
	•	·	
39.	Which of the following is not a method of	,. •	
	A) Hand tied	B) Instrument tied	
	C) Kema tied	D) Endoscopically	
40.	Hand tied Knot can be all except		
	A) Granny knot	B) Thor knot	
	C) Surgeon's knot	D) Square knot	
	, ,	, ,	
41.	High incidence of wound infection is due		
	A) Diabetes mellitus	B) Obesity	
	C) Clean wound	D) Malnourishment	
42.	All are used in suturing a lacerated wour	nd except	
	A) Suturing tray	B) Needle holder	
	C) 1 or 2 % lignocaine	D) Harmonic scalpel	
		·	
43.	All are steps of suturing a lacerated wou	•	
	A) Wound assessment	B) Wound preparation	
	C) Wound closure	D) Radiotherapy	
44.	All are types of sutures except		
	A) Simple interrupted suture	B) Vertical mattress suture	
	C) Saleem continued suture	D) Subcuticular suture	
	<i>-</i> ,		
45.	All are absorbable synthetic suture exce	pt	
	A) Maxon	B) Caprosyn	
	C) Polyester	D) V-loc	
46.	All are non absorbable synthetic sutures	except	
	A) Silk	B) Nylon	
	C) Polyamide	D) Surgipro 11	
47	Cataut cutures have following character	s avaant	
47.	Catgut sutures have following characters	•	
	A) Collagenous tissue	B) Synthetic suture material	
	C) Tensile strength for 7-10 days	D) Prion transfer (disease)	
48.	An ideal needle should have all aveant		
40.	An ideal needle should have all except	P) Thin and dim	
	A) Made of high quality stainless steel C) Corresion/Corresion	B) Thin and slim D) Posist bonding	
	C) Corrosion/Corrosive	D) Resist bending	

49.	All are the different shapes of surgical needles except		
	A) Straight needle	B) ½ circle needle	
	C) ¾ needle circle	D) Q needle	
50.	Trendelenburg position is		
	A) Head down	B) Head up	
	C) Left up	D) Left down	
51.	All are types of anastomosis in surgery e	except	
	A) End to end	B) End to side	
	C) Maydl technique	D) Side to side	
52.	Which of the following is not an instrum	ent for grasping	
	A) Thumb forceps	B) Artery forceps	
	C) Scalpel	D) Babcock forceps	
53.	Which blade (surgical) does not exist		
	A) 10	B) 15	
	C) 18	D) 50	
54.	All are types of scissors used in surgery of	excent	
•	A) Mayo's	B) Metzenbaum	
	C) MC kema	D) Mc Indoe's	
55.	Which of the following is not a retractor		
	A) Czerny	B) Mc lalit	
	C) Doyens	D) Morris	
56.	Surgical drain can be made of all except		
	A) Latex rubber	B) Silicon	
	C) PVC	D) PTFE	
57.	All are types of drainage systems used in	n surgery except	
	A) Open drainage	B) Closed siphon drainage	
	C) Closed suction drainage	D) Septic tank drainage	
F0	The fellowing to shadowing one in alcohol in		
58.	The following techniques are included in		
	A) NOTES	B) SILS	
	C) VATS	D) FILTH	
59.	All of the following are related to minimal access surgery except		
	A) Manipulation angle	B) Elevation angle	
	C) Azimuth angle	D) Proprietary angle	

60.	Which of the following is not used for laparoscopic surgery		
	A) Insufflator	B) Deavers retractor	
	C) Laparoscope	D) Electrosurgical unit	
61.	Which of the following in not used as light	ht source in laparoscopy	
	A) Xenon	B) Metal Halide	
	C) Carbon Dioxide	D) Halogen	
62.	Which of the following cannot be used for	_	
	A) Ligasure	B)Ultrasonic shears	
	C) Photocoagulation	D) Doppler scan	
63.	Which of the following is not used for ta		
	A) Kema needle	B) Abrahams needle	
	C) Menghini needle	D) Trucut needle	
64.	All are modes of dissection except		
	A) Hydrodissection	B) Blunt dissection	
	C) Ethanol dissection	D) Scissor dissection	
65.	For coagulation mode current of interru		
	A) High voltage low amplitude	B) High voltage high amplitude	
	C) High amplitude low voltage	D) None	
66.	For cutting current of continuous wave f	orm should be	
	A) High amplitude low voltage	B) High amplitude high voltage	
	C) High voltage low amplitude	D) None	
67.	An Ideal perfect dressing should have all	except	
	A) Allow oxygenation	B) Retain moisture	
	C) Be penetrable to bacteria	D) Non allergenic	
68.	Which of the following lasers is not used	in surgery	
	A) Argon beam	B) Helium Aluminium	
	C) Nd:YAG	D) Ho:YAG	
69.	All are indications for intercostalchest tu	be drainage except	
	A) Empyema	B) Hemothorax	
	C) Tension Pneumothorax	D) Liver laceration	
70.	All of the following are used in cholecyst	ectomy excent	
, 0.	A) Gauze packs	B) Ho:YAG laser	
	C) Artery forceps	D) Diathermy	
71.	Which of the following is not a retractor		
==	A) Joll's retractor	B) Balfour retractor	
	C) Singh and kema retractor	D) Volkmann's retractor	

72.	Middle thyroid artery is a branch of A) Common carotid artery C) Internal carotid artery	B) External carotid artery D) None of the above
73.	Which of the following is not present in A) Splenocolic ligament C) Gastrosplenic ligament	relation to spleen B) Splenorenal/Lienorenal ligament D) Splenorectal ligament
74.	Multifilament sutures have more A) Tensile strength C) Resistance to harbouring organisms	B) Flexibility D) Pliability
75.	Following are absolute contraindication: A) Unwilling patient C) Untreated bleeding disorder	s to laparoscopic surgery except B) Patient in shock D) Trained laparoscopic surgeon
	TRUE –	FALSE SECTION
76.	Closed gloving technique is better than (A) True	open gloving technique B) False
77.	A gown is contaminated if one touches A) False	the outside of the gown B) True
78.	Granny knot should not be used as it is r A) True	not a safe knot B) False
79.	Knots are used for approximation of tiss A) True	ues B) False
80.	Sebaceous cyst should be removed com A) True	pletely to avoid recurrence B) False
81.	SCC is excised with 1cm of normal skin A) True	B) False
82.	Surgical silk does not loose tensile stren A) True	gth when exposed to moisture B) False
83.	Ideal sutures having all the desirable pro A) True	pperties do exist B) False
84.	Improper positioning of the surgeon or A) True	patient can complicate the surgery B) False
85.	Staplers do not add to the cost of surger A) True	ry B) False

86.	No. 3 BP handle accommodates size 10-A) True	15 surgical blades B) False
87.	A surgical drain itself can cause complica A) False	ations by erosion into viscera B) True
88.	Proper placement of parts is key to succ A) True	ess in laparoscopic surgery B) False
89.	Minimal access surgery is not always min A) True	nimally invasive B) False
90.	Always include a portion of normal tissu A) True	e while taking a biopsy from ulcer B) False
91.	Do not use monopolar diathermy in a pa A) False	atient with pacemaker B) True
92.	Laser operating area should not be clear A) True	ly demarcated in OTs B) False
93.	Surgical glove used for surgery should be A) True	e sterile B) False
94.	One can scrub with antiseptic solution b A) True	ut not with soap B) False
95.	Monofilament sutures are easier to tie t A) True	han multifilament sutures B) False
96.	Vertical mattress sutures should be used A) True	d if there is excess skin B) False
97.	Basal cell carcinoma should be excised was A) True	vith minimum 2cms margin of normal skin B) False
98.	Monofilament sutures are preferred for A) True	vascular surgery B) False
99.	While positioning a patient for surgery e avoided	excess abduction of upper limbs should not be
	A) True	B) False
100.	If packing does not stop bleeding proximated	nal and distal control of the bleeding vessel may be
	A) True	B) False

Answer Key for FOR THE POST OF Jr TA

S. No.	Option/Answer
1	A) Sunlight
2	A) Kill bacteria
3	D) Pasteurization
4	B) Clostridium tetani
5	B) Sunlight
6	C) Moist heat Sterilization
7	D) Glutaraldehyde
8	D) Uranium
9	C) Both
10	B) Corrode metals
11	D) Rooms
12	D) Kocher's forceps
13	D) DHS
14	D) Terelene
15	D) Catgut
16	A) Polydioxanone
17	B) Costly
18	B) Nylon
19	C) Neck
20	C) Lance point
21	D) All
22	B) Kema
23	A) Celiac trunk
24	D) Rectus Sheath
25	B) Four
26	A) Celiac Axis
27	C) Lymph node of lund
28	C) Antrum
29	D) Sigmoid Colon
30	B) Rectum
31	D) Cecum
32	B) Femur
33	C) Both
34	D) Condyle Medial
35	D) Middle cerebral artery
36	B) Vulsellum forceps

	0) 01
37	C) Glutaraldehyde
38	C) 5 Minutes
39	C) Kema tied
40	B) Thor knot
41	C) Clean wound
42	D) Harmonic scalpel
43	D) Radiotherapy
44	C) Saleem continued suture
45	C) Polyester
46	A) Silk
47	B) Synthetic suture material
48	C) Corrosion/Corrosive
49	D) Q needle
50	A) Head down
51	C) Maydl technique
52	C) Scalpel
53	D) 50
54	C) MC kema
55	B) Mc lalit
56	D) PTFE
57	D) Septic tank drainage
58	D) FILTH
59	D) Proprietary angle
60	B) Deavers retractor
61	C) Carbon Dioxide
62	D) Doppler scan
63	A) Kema needle
64	C) Ethanol dissection
65	A) High voltage low amplitude
66	A) High amplitude low voltage
67	C) Be penetrable to bacteria
68	B) Helium Aluminium
69	D) Liver laceration
70	B) Ho:YAG laser
71	C) Singh and kema retractor
72	D) None of the above
73	D) Splenorectal ligament
74	C) Resistance to harbouring organisms
75	D) Trained laparoscopic surgeon
1	

76	A) True
77	B) True
78	A) True
79	B) False
80	A) True
81	A) True
82	B) False
83	B) False
84	A) True
85	B) False
86	A) True
87	B) True
88	A) True
89	A) True
90	A) True
91	B) True
92	B) False
93	A) True
94	B) False
95	B) False
96	A) True
97	B) False
98	A) True
99	B) False
100	A) True